

UNCLASSIFIED

AD NUMBER
AD489998
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution: Further dissemination only as directed by Air Force Materials Lab, Attn: MAAM, Wright-Patterson AFB, OH 45433, Sep 1966; or higher DoD authority.
AUTHORITY
Air Force Materials Lab ltr dtd 1 Sep 1970

THIS PAGE IS UNCLASSIFIED

Foreign announcement and dissemination of this report is not authorized without prior approval of Air Force Materials Lab (MAAM-R. F. Klinger) Wright-Patterson Air Force Base, Ohio

Form 1473

1

Technical Report

AD 489 998

(6) MECHANIZATION STUDY OF THE MECHANICAL PROPERTIES DATA CENTER, TRAVERSE CITY, MICHIGAN

(9) Final rept.,

Submitted to

Defense Supply Agency
Defense Documentation Center
Cameron Station, Virginia

by

Booz, Allen Applied Research Inc.
4733 Bethesda Avenue
Bethesda, Maryland 20014

(15) Under Contract No. DSA-7-15489

(14) DAAIRING Report No. 914-1-9

(11) September 1966

(12) 53p.

DDC
OCT 17 1966

(060 750) JE

AD No. 489 998
DDC FILE COPY


(10) G. A. Kerubini
J. E. Davis
E. G. Logan
E. Masodini

mt



ABSTRACT

The Data Center employs the IBM 1440 in the search and retrieval of its data files. The files are maintained on EAM cards but are to be converted to disk during a search. The Center formerly utilized the IBM 101 Statistical Machine and the IBM 870 Document Writing System. The Center has data relating to more than 1/2 million material tests of metals and plastics. Use of the computer has permitted the Center to cope with the increasing demand on its services without increasing its budget by the same order of magnitude.



T A B L E O F C O N T E N T S

	<u>Page Number</u>
ABSTRACT	ii
INDEX OF FIGURES	vi
I. SUMMARY	1
II. MECHANIZATION	4
1. Chronology	4
2. Description of Processes	5
(1) Input Procedures	5
(2) Query Preparation and Retrieval Outputs	10
3. Activities Being Planned or Developed for Mechanization	11
III. PROGRAM SYSTEM DATA	12
1. Major Files	12
(1) Data Card File	12
(2) Master Code Disk Pack	12
2. Routines	13
(1) Attribute Cards to Disk	13
(2) Data Card Disk	13
(3) End of Job Routine	14
(4) Blast Out Routine	14
(5) Final Report Routine	14

	<u>Page Number</u>
IV. EQUIPMENT, COSTS, AND EVALUATIONS	15
1. Equipment	15
2. Costs	16
3. Facility's Evaluation	17
BIBLIOGRAPHY	19

A P P E N D I C E S

- A. EXAMPLES OF WORKSHEET FORMATS
- B. QUERY FORMATS
- C. OUTPUT
- D. COMPUTER FILE STRUCTURE AND PROGRAM SYSTEM
 FLOW CHARTS

INDEX OF FIGURES

	<u>Page Number</u>
1. System Flow Diagram	3
2. Input Process	6
3. Retrieval Process	9

I. SUMMARY

I. SUMMARY

The Mechanical Properties Data Center employs mechanized processes in the storage and retrieval of its data files which consist of the mechanical properties of metals and plastics. Data are stored on EAM punched cards and searched using the Center's IBM 1440 computer which was installed in late 1965. Prior to that time, processing was done with EAM techniques based upon the IBM 870 Document Writer system (for output formatting) and the IBM 101 Statistical Machine (for retrieval by selective file searching).

The Center has stored data relating to more than a half million material tests which is currently growing at the rate of about 8,000 records per month. The major source of this information is in documents from DDC. In addition, original test records are received from some companies. The Center's Director considers a test lab report to be the ideal form in which to receive information. At present no attempt is made to include classified material.


The services of the Mechanical Properties Data Center are available free of charge to DoD, NASA, and their contractors. More than 60 queries are answered in a typical month. The largest number

handled in a single month was 1. A typical search might produce 300 specimen tests from six different references and 10 references cited to documents that discuss the subject, but contain no data. Requests for information may be received by telephone, TWX, telegraph, or mail.

Figure 1 illustrates the flow of information to the Center.

ESTIMATED FLOW OF MATERIAL INFORMATION TO M.P.D.C. IN 1966

Item 4



II. MECHANIZATION

II. MECHANIZATION

1. CHRONOLOGY

The Center was started in June 1959 with the award of a contract by the Air Force's Directorate of Materials and Processes, Aeronautical Systems Division. From the beginning, EAM punched cards were chosen as the storage medium. Retrieval of information and processing was done using electronic accounting machines, particularly the IBM 870 system and the IBM 101 Electronic Statistical Machine.

This arrangement was preferred to a computer because of problems associated with obtaining computer time and because of the difficulty of refining a search in mid-process through the data file. These disadvantages were considered greater than the limitation on the number of fields searchable per pass imposed by the IBM 101.

In 1965, after studying available systems, the Center acquired an IBM 1440 computer and developed programs to perform the searching and listing formerly done with the EAM equipment. No change, however, was made in the data storage format. The Center decided on the computer because they felt the level of work (both for the Center and

for Belfour-Stulen's other activities) justified the cost, and because the 1440 had the special feature of random access disk files that are easily changed.

Another reason for acquiring the computer was to lower the unit cost of searches, particularly to keep costs within the Center's budget. Since 1964, search requests have increased from an average of 12 per month to 60 per month (peak was 90 per month).

2. DESCRIPTION OF PROCESSES


(1) Input Procedures

The primary source of information for the Center is documented numerical data from tests such as tensile tests, compression tests, fracture toughness tests, and creep tests. These data are entered on EAM punched cards and filed by test type within material type. The process is illustrated in Figure 2 and has the following procedure:

1. A document which includes test results is selected, checked to see if it is already in the files, and then ordered. At this time a title card for the document is prepared manually.
2. When the document is received, it is matched against the title card, and checked again for duplication. (This step is currently a manual process, but will be eventually converted to a computer process.)

FIGURE 2

Input Process



3. An accession number is assigned to the document. This is a five-digit number for a document containing information that directly relates to the collection. A four-digit number is assigned in the case of a document of a more general nature.

4. At this point, a preliminary indexing takes place in order to provide a means of retrieving the document's information before the document has been selected from the backlog and fully processed. This indexing will permit retrieval by means of one or more of the subject words most frequently mentioned in requests; e. g., alloy, property or test conditions. The information encoded and keypunched is material identification, test types, test conditions, title and author.

5. Documents are filed in numerical accession number order. They are selected for encoding into the data storage on a basis of subjects which are of greatest interest at the moment, or subjects in which the Center's stored data appears to be low.

6. A document containing information selected for routine processing goes to an encoder who extracts the information to be used and records it on encoding forms. Numerical data, such as actual mechanical properties, test temperature, etc. are directly keypunched (except for rounding off to the significant places consistent with desired accuracy) without encoding. Other information is assigned numeric or alphabetic symbols derived from a prepared code book. The code book is not a rigid thesaurus, and new codes are entered whenever necessary. Appendix A illustrates several of the work sheets which are used to format the information for keypunching.

There are two basic formats, A and B. The A format consists of the final test results together with a relatively complete summary of the material condition, manufacturing processes, test specimen configuration, specimen conditioning, and testing environments. All of this A format information is keypunched in a single card for each test. In most searches, this card is all that need be retrieved to obtain the principal information. Two examples of the A format worksheets are shown in Appendices A-1 and A-2. One is

labeled Format MTC-A for metals, tensile-creep test, A format. The other is labeled MBT-A for metals, bending fracture toughness test, A format.

The B format contains more information such as material composition and heat treatment. These cards are filed separately from the A cards and are related by a common serial number, which is a composite of the document accession number, the unit, set and specimen number. The number is discrete within test type (card columns 1-3), and by adding the test type code (columns 4, 5), it becomes unique.

The B format is divided into two types of cards, B and B₁, the worksheets for which are shown in Appendices A-3 and A-4.


One A type card will normally exist for each material specimen and one B type card for each unit of material. Furthermore, the B type express only the basic material and are independent of test types. Thus, the same B cards will normally exist for several A cards.

In addition to the A and B formats, there are supplemental card formats referred to as A_n cards and an "encoder's card." There is also a format variation specifically for fatigue tests (which is not discussed). The former are supplemental to the basic A card; e. g., A₁ is the first supplement to its A card, A₂ is the second, etc. Note that each of these A_n's relate to a specific A card and to no other. The "encoder's card" is an 8-1/2" x 11" form which is generated for each document to contain significant information not covered in the standard format. The A_n and encoders formats are shown in Appendices A-5 and A-6.

7. The encoded information is edited to catch obvious errors and interpretative discrepancies. The information is then keypunched on EAM cards and verified.

8. The cards prepared for the document are placed in a storage drawer at the keypunch station. When 8,000 to 10,000 cards are accumulated, a machine edit is made. The cards are sequenced by material and added to the already existing file. The inventory is modified, when necessary, by putting in delete cards.

FIGURE 3
Retrieval Process



In practice, the center maintains three files. Since questions come in by materials type, one file is organized by materials type. The second file is organized by test type within materials type. The third file is completely random. Which file is searched depends upon the characteristics of a query.

(2) Query Preparation and Retrieval Outputs (See Figure 3)

1. A request for information is refined and initially recorded on the Search Request Form illustrated in B-1. The codes for the various parameters are determined and the request is redefined on the coded search form illustrated in B-2. The system will accommodate a maximum of 10 OR conditions and 5 AND conditions within each of these OR conditions. (A NOT parameter is indicated by a flag in the NOT column of a particular AND condition.)

2. Attribute cards are then keypunched with the coded search parameters.

3. Either pertinent data cards are selected from the materials or test type files, or the first group of cards to be searched is obtained from the random file. The computer then searches the data cards for the desired parameters based on the material field (card column 5) and the test type field (card column 4) using the attribute cards to define the desired information. The printout of the first rough sort is referred to as the "blast-out". An example may indicate that further refining or narrowing of the search is necessary. The search is run again using deletion cards to remove undesired information and format heading cards to obtain the desired output form in the final printout. An example of a final printout is shown in Appendix C. The Center is equipped with a card-to-graph x-y plotter which, along with the computer, provides the Center a capability of producing data tabulations, listings, graphic displays and other pre-programmed printouts.

4. From time to time, personnel at the Center retrieve the entire inventory of a particular subject test type. This is published and distributed to members of the aerospace and defense industries as a means of acquainting them with the resources of the Mechanical Properties Data Center.

3. ACTIVITIES BEING PLANNED OR DEVELOPED FOR
MECHANIZATION

A KWIC index of document titles may be produced for in-house use. The KWIC index would be used as a tool for locating the contents of documents before indexing them in depth and as a duplicate-checking device. It would also give, as a by-product, some thesaurus information.

All of the data are now stored on punched cards. The Center will probably not convert these to tape files because of the relative ease of updating the cards and the low rate of use of many of them. Converting to tape, however, may be considered if the search rate exceeds about 30 per day. Certain groups of cards may also be converted to tape to create a portable file. Another possibility being considered is to put card groups on disks in order to permit long Boolean-type searches.

III. PROGRAM SYSTEM DATA

III. PROGRAM SYSTEM DATA

The IBM 1440 Computer is used to perform data search and retrieval processes on the Center's data card file. This activity has been done, until recently, semi-manually using EAM equipment centered around the IBM 101 Statistical Machine and the IBM 870 Document Writing System.

1. MAJOR FILES

(1) Data Card File

There are three basic types of EAM cards (denoted by A, A_M, and B) used to record the data. The formats are fixed and are described in Appendix A. The cards are filed manually by materials class (column 7), and within alloys by test type (column 4). Related cards are linked by a reference number (column 1-3) which is discrete within a test type, and a test type (column 4) which, taken with the reference number, form a unique code.

(2) Master Code Disk Pack

The format of this disk file is shown in D-1. The file is used as a code dictionary that relate card types and attributes to numerical codes.

2. ROUTINES

System flow diagrams are shown in Appendices D-2 through D-5. These are described as they appear in the retrieval process in the following paragraphs:

(1) Attribute Cards to Disk

This routine is illustrated in D-2. An attribute card, containing the codes to be later used in searching the data cards, is read and the first attribute is placed in main memory. Next the Master Code Disk Pack is searched for the code strings that relate to the attribute. These are then added to the main memory. This process is iterated for all attributes.

(2) Data Card to Disk

D-3 illustrates the routine. To begin, the Master Code Disk Pack is replaced by a Scratch Disk Pack. The first data card is then read and tested for the desired attribute codes. As these are located, the attribute code is flagged with word marks in the main memory and the corresponding data are written on the scratch disk. This process is iterated until all data cards are read.

(3) End of Job Routine

This routine is illustrated in Appendix D-4. The last sector of the scratch disk that is used is recorded on the trailer sector of the scratch disk. The scratch disk now consists of all of the desired attribute codes with word marks flagging those which were encountered on the data cards. The scratch disk is then sorted, becoming the Organized Work Pack.

(4) Blast Out Routine

This routine is illustrated in Appendix D-5. The Organized Work Pack is then run with heading cards, and the Master Code Pack, and printed out. The heading cards identify the output format and the Master Code Pack supplies the alphabetic descriptions corresponding to the attribute codes.

(5) Final Report Routine

This routine is shown in Appendix D-6. Following a review by the project engineer, the desired data deletions and format instructions are keypunched. These are run with the final report printout and x-y plotting cards (if needed).

IV. EQUIPMENT, COSTS, AND EVALUATIONS

IV. EQUIPMENT, COSTS, AND EVALUATIONS

1. EQUIPMENT

IBM 1440 Computer:

- Central Processor with 8K character core memory
- 2-Model 131 Disk Storage Drives
(Each disk file has 20,000 addressable locations,
100 characters per address, 7 bits per character.)
- Model 1442 Card Read Punch (400 cpm)
- Model 1403 High Speed Printer (340 lines per minute)

EAM Equipment:

- 026 Card Punch
- 047 Tape to card converter
- 083 Sorter with sort suppression
- 056 Verifier
- 053 Collator

IBM 870 Document Writing System:

Mosely X-Y Plotter with model 30A card translator connected to IBM 514 Reproducing Punch. (Reads 6 card columns per data print at 50 cards per minute.)

The following EAM equipments are to be eliminated with the introduction of the 1440 computer:

101 Electronic Statistical Machine
602 Calculating Punch
834 Control Unit
866 Non Trans. Typewriter

2. COSTS

Equipment Monthly Rental:

1440 Computer including processor, disk control, console, etc. - \$1,800
1442 Card Read Punch - \$445
1403 Printer with 1446 Control - \$1,040
1311 Disk Storage Drives (2 units) - \$745
083 Sorter with Sort-Suppression - \$112
026 Printing Key Punch - \$60
101 Electronic Statistical Machine - \$275
602 Calculating Punch - \$245
834 Control Unit - \$124
866 Non Trans. Typewriter - \$35

Development:

The Center has been developing its system of data storage and retrieval since its establishment in June, 1959. The recent computer program development was performed by the Center's full time program systems engineer who has spent approximately 2,000 man-hours developing it.

3. FACILITY'S EVALUATION

Experience has indicated to the Center that the cost equivalence point between computer and card searching is about three to four searches per day. Beyond this rate, the EAM system becomes increasingly cumbersome to the point of impracticability.

The cost of an individual search is not directly related to the number of cards involved. Output form varies, and Data Center personnel review displays and references for each search in varying depth, depending on user requirements.

Both the previous EAM system and, to a greater extent, the present computer system permit the manipulation of data taken from many sources into various formats using a variety of test parameters. This flexibility in relating data gives the Center a capability of pseudo-testing.

Earlier computers were not suitable for the Center because of the long linear tape files and corresponding long search time that would have been required. The present computer has a random-access, high capacity disc memory which avoids this problem and has the additional advantage of simple disc file changing.

The various outputs of the Center have been intentionally restricted to requested information and a few published reports which are for the purpose of publicizing and stimulating the use of the Center. This restriction is due to the Center's policy "not to contribute to the volume of published literature competing for the attention of the technical community".

BIBLIOGRAPHY

B I B L I O G R A P H Y

- "A system for Automatic Processing of Fatigue Data", Albert J. Belfour, Parsons Corporation, W. S. Hyler, Battelle Memorial Institute. NADC Technical Report 58-461, ASTIA Document No. 207792, Jan. 1959.
- "Considerations and Recommendations for Developing a Materials Information Processing Capability", Albert J. Belfour, WADC Technical Report 60-867, December 1960.
- "Development and Implementation of a Materials Information Processing System", Albert J. Belfour, WADC Technical Report 62-819, September 1962.
- "A Practical Approach to Providing Materials Information", Albert J. Belfour, presented at the Symposium on Materials Information Retrieval, November 28-29, 1962, Sponsored by Materials Information Branch, Applications Laboratory, Directorate of Material and Processes, Aeronautical Systems Division.
- "Development of a Materials Property Data Processing System", R. C. Braden, C. S. Wright, WADC Technical Report 63-128, DDC Document No. AD-401358, January 1963.
- "Mechanical Properties Data Center Design and Operation", F. L. Stulen, Air Force Materials Laboratory Technical Report No. ASD-TDR-63-566, September 1963.

APPENDIX A

EXAMPLES OF WORKSHEET FORMATS

60 TENSILE CREEP, CONSTANT A

APPENDIX A-1

Field 1.0		Field 2.0		Field 3.0		Field 4.0		Field 5.0		Field 6.0		Field 7.0	
1	Reference Number	M1.1A	1										
4	Test Type	M1.2A	-										
5	Mat. Type	M1.3A	-										
7	Material Identification	M1.4A	1										
10	Mat. Design	M1.5A	-										
11	Unit No.	-	1										
13	Set No.	-	1										
15	No.Spec./set	-	1										
17	Specimen No.	-	1										
19	Melt Pract.	M2.1A	3,4										
20	Prim. Opn.	M2.2A	3,4										
21	Second. Opn.	M2.3A	3,4										
23	Heat Treat.	M2.4A	3,4										
25	Surf. Treat.	M2.5A	3,4										
27	Surf. Finish	M2.6A	3,4,6										
29	Spec. Config.	M2.7A	3,4										
31	Spec.Th. x 10	-	2,3,4										
33	Spec. Fabric.	M2.9A	3,4										
35	Notch Config.	M2.10	3,4										
37	Notch Fac.	-	A,3,4										
39	Pre-test Condition	M3.1A	3,4										
41	Pre-test Cond. Amount	-	2,3,4 5 & 6										
44	Units	M3.3A	3										
45	Pre-test Cond. Time	-	2,3,4 & 6										
47	Type Hard.	M4.1A	3,4,6										
48	Hard./100	M4.2A	2,3,4 & 6										
50	Orient. - Id.	-	3,4,6										
52	Rate Units	M5.2A	3,4										
53	Test Rate	-	2,3,4 & 6										
56	Environ.& Unt.	M5.4A	3,4										
58	Environ. Amount	-	2-6										
61	Applied Stress, ksi	-	2,3,4 & 6										
64	Time to Rupture or T.E.	-	2,3,4 & 6										
67	Multipplier	6.3A	3,4										
68	Gage Length	6.4A	3,4										
69	% Elong. @R.T.	-	2,3,4 & 6										
71	% Red. Area @ R.T.	-	2,3,4 & 6										
73	Id.&Temp. Seq.	6.7A	3,4										
74	Type,Units,Base	6.8A	3,4										
75	Deformation	-	2,3,4 & 6										
77	Test Bed	-	2,3,4,6										
79	Time to Temp.	-	2,3,4,6										
81	Fail Desc.	6.11A	3,4										
82	Good A. Reduc.	-	6A										

FORM 100-A
RECORDED BY
DATE
CHECKED BY
PAGE
OF

37 BENDING FRACTURE TOUGHNESS

A

APPENDIX A-2

Field 1.0		Field 2.0		Field 3.0		Field 4.0		Field 5.0		Field 6.0		Field 7.0	
1	Reference Number	Code M1.1A	Rules 1										
4	Test Type	M1.2A	-										
6	Mat. Type	M1.3A	-										
7	Material Identification	M1.4A	1										
10	Mat. Design.	M1.5A	-										
11	Unit No.	-	1										
13	Set No.	-	1										
15	No. Spec./set	-	1										
17	Specimen No.	-	1										
19	Molt. Pract.	M2.1A	3,4										
20	Prim. Cpn.	M2.2A	3,4										
21	Second. Cpn.	M2.3A	3,4										
23	Heat. Treat.	M2.4A	3,4										
25	Surf. Treat.	M2.5A	3,4										
27	Surf. Finish	M2.6A	3,4,6										
29	Spec. Config.	M2.7A	3,4										
31	Spec. Th. x 10	-	2,3,4										
33	Spec. Fabric.	M2.9A	3,4										
35	Notch Config.	M2.10A	3,4										
37	Notch Fac.	-	A,3,4										
39	Pre-test Condition	M3.1A	3,4										
41	Pre-test Cond. Amount	-	2,3,4 5 & 6										
44	Units	M3.3A	3										
45	Pre-test Cond. Time	-	2,3,4 & 6										
47	Type Hard.	M4.1A	3,4,6										
48	Hard./100	M4.2A	2,3,4 & 6										
50	Orient. - Id.	-	3,4,6										
52	Rate Units	M5.2A	3,4										
53	Test Rate	-	2,3,4 & 6										
56	Environ. & Unt.	M5.4A	3,4										
58	Environ. Amount	-	2-6										
61	Id. Meas. & Units	6.1A	3,4										
62	Max. Load Measurement	-	2,3,4 & 6										
65	Id. Measurement	-	2,3,4										
66	Onset of Fract.	-	& 6										
68	Deflection @ Max. Load	-	2,3,4 & 6										
70	Deflection @ onset of Fract.	-	2,3,4 & 6										
72	Index Desc & Un.	-6.6A	3,4										
73	Toughness Index	-	2,3,4 & 6										
75	Fract. App & Units	6.8A	3,4										
76	Fract. App. Meas.	-	2,3,4 & 6										
78	Fail. Desc.	6.10	3,4										
93	Card A Indic.	8	NA										

NOT TESTED

IMPROVED BY

DATE

CHECKED BY

DATE

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					</
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

[illegible]

DOCUMENT DESCRIPTION -

000000

APPENDIX B
QUERY FORMATS

B-1

SEARCH REQUEST FORM

Search No. _____

Requester _____

Date _____

Address _____

Reply by: Mail _____

TWX _____

Phone _____ Extension _____

Phone _____

Material Description _____

Material Fabrication _____

Test Type(s) _____

Specimen Description _____ Notched _____ Unnotched _____

Surface Treatment and/or Finish _____

Pre-test Conditioning _____

Test Environment _____ Temperature _____

Type Loading and/or Rate _____ Mean Stress _____

Additional Information and Suggested Displays _____

1 2 3 4 5 6 7 8 9 10

	N	(R)	7	R
--	---	-----	---	---

2017

Sept 26 - 9
1870

1

APPENDIX C

OUTPUT

TABLE VII
TABULAR OUTPUT - FATIGUE TEST DATA
SAE 4340 STEEL

REFERENCE NO.*	HEAT TREATMENT*	YIELD STRENGTH, KSI	ULTIMATE TENSILE STRENGTH, KSI	% ELONGATION IN 4 DIA.	SURFACE CONDITION*	SURFACE FINISH MICROINCHES, RMS	PRIMARY FABRICATION*	SECONDARY OPERATION*	SECONDARY OPERATION OR NOTCH FACTOR*	SPECIMEN TYPE*	CYCLIC SPEED, CPS	TEST TEMPERATURE OF $\div 10$	MEAN STRESS, KSI	ALTERNATING STRESS, KSI	FATIGUE LIFETIME
009	19	147	159	15	68	10	4	51	51	11	038	008	075	075	4,500
009	19	147	159	15	68	10	4	51	51	11	038	008	070	070	43,000
009	19	147	159	15	68	10	4	51	51	11	038	008	065	065	120,000
009	19	147	159	15	68	10	4	51	51	11	038	008	060	060	900,000
009	19	147	159	15	68	10	4	51	51	11	038	008	058	058	2,500,000
009	19	147	159	15	68	10	4	51	51	11	038	008	057	057	20,000,000 ‡
009	19	147	159	15	68	10	4	51	51	11	038	080	065	065	2,200
009	19	147	159	15	68	10	4	51	51	11	038	080	063	063	10,000
009	19	147	159	15	68	10	4	51	51	11	038	080	060	060	18,000
009	19	147	159	15	68	10	4	51	51	11	038	080	058	058	55,000
009	19	147	159	15	68	10	4	51	51	11	038	080	055	055	140,000
009	19	147	159	15	68	10	4	51	51	11	038	080	053	053	400,000
009	19	147	159	15	68	10	4	51	51	11	038	080	051	051	1,500,000
009	19	147	159	15	68	10	4	51	51	11	038	080	050	050	1,600,000
009	19	147	159	15	68	10	4	51	51	11	038	080	047	047	2,800,000
009	19	147	159	15	68	10	4	51	51	11	038	080	043	043	400,000
009	19	147	159	15	68	10	4	51	51	11	038	080	041	041	18,000,000 ‡
009	19	147	159	15	68	10	4	51	51	11	038	008	000	090	18,000
009	19	147	159	15	68	10	4	51	51	11	038	008	000	090	25,000
009	19	147	159	15	68	10	4	51	51	11	038	008	000	082	69,000
009	19	147	159	15	68	10	4	51	51	11	038	008	000	076	85,000
009	19	147	159	15	68	10	4	51	51	11	038	008	000	078	130,000

‡ INDICATES RUNOUT

* CODED - SEE CODE SHEET

APPENDIX D

COMPUTER FILE STRUCTURE
AND PROGRAM SYSTEM
FLOW CHARTS

[illegible]

Remarks:

١٠٠٠
 ١٠٠٠

1	5	10	15	20	25	30	35	40
---	---	----	----	----	----	----	----	----

CCDF
STR 11/95

A

AF

A.1.

A2 A:

029.00

002,600

003,000

0046.05

00500

063.702

2007-2008

CARD COLUMN HEADINGS

WORD MARK STRINGS

STORAGE LAYOUT

11, 12, 21, 22, BWA 1311

Date

CODE DESCRIPTIONS

A2 A3 B1

REF. NO. & TITLE DESCRIPTIONS

A CODE DESCRIPTIONS

A1

"

"

A2

"

"

A3

"

"

B

"

"


B1

"


"

Best Available Copy


Attribute Card Input Routine




Data Card to Disk Routine



End of Job Routine




Blast Out Routine



FROM END OF
JOB ROUTINE

Final Report Routine



Unclassified

Security Classification

DOCUMENT CONTROL DATA - R&D		
<small>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</small>		
1. ORIGINATING ACTIVITY (Name and address of originator)		2. REPORT SECURITY CLASSIFICATION
BOOZ · ALLEN APPLIED RESEARCH, INC. 4733 Bethesda Avenue Bethesda, Maryland 20014		Unclassified
3. REPORT TITLE		
Mechanization Study of the Mechanical Properties Data Center Traverse City, Michigan		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Final Report of on-site survey		
5. AUTHOR(S) (Last name, first name, initial)		
G. A. Kershaw, D. Crowder, J. E. Davis, E. G. Loges, E. Merendini, S. M. Thomas		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
September, 1966	48	6
8a. CONTRACT OR GRANT NO.	9a. ORIGINATOR'S REPORT NUMBER(S)	
DSA-7-15489	914-1-9	
9. PROJECT NO.	9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
	AD 489 998	
10. AVAILABILITY LIMITATION NOTICES		
Foreign announcement and dissemination of this report is not authorized without prior approval of Air Force Material Lab (MAAM-R. F. Klinger), Wright-Patterson Air Force Base, Ohio.		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
None		Defense Supply Agency Defense Documentation Center Cameron Station, Virginia
13. ABSTRACT		
<p>The Data Center employs the IBM 1440 in the search and retrieval of its data files. The files are maintained on EAM cards but are to be converted to disk during a search. The Center formerly utilized the IBM 101 Statistical Machine and the IBM 870 Document Writing System. The Center has data relating to more than 1/2 million material tests of metals and plastics. Use of the computer has permitted the Center to cope with the increasing demand on its services without increasing its budget by the same order of magnitude.</p>		

DD FORM 1473

Unclassified
Security Classification

Security Classification

14	KEY WORDS	LINK A		LINK B		LINK C	
		ROLE	WT	ROLE	WT	ROLE	WT
	Digital Computers Data Analysis Information Retrieval Documentation						

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization or corporate authority issuing the report.

2. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

3. **GROUP:** Automatic downgrading is specified in DoD Directive 5900.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 1 and Group 1A and/or 1B.

4. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all caps should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.

5. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., technical progress, summary, annual, or final, and the number of pages when a specific reporting period is covered.

6. **AUTHOR:** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

7. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

8. **TOTAL NUMBER OF PAGES:** The total page count should include all pagination preceeding, e.g., enter the number of pages containing information.

9. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

10. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the official number of the contract or grant under which the report was written.

11. **4.1.32 PROJECT NUMBER:** Enter the appropriate project, department, identification, contract, and number, e.g., 4.1.32, 4.1.32, 4.1.32, 4.1.32, 4.1.32, etc.

12. **ORIGINATING REPORT NUMBER:** Enter the official report number by which the document will be identified and available to the originating activity. This number must be unique to the report.

13. **ORIGINATING REPORT NUMBER:** If the report has been previously issued, enter the number by which the report is identified and available to the originating activity.

14. **AVAILABILITY LIMITATION NOTES:** Enter any limitations on the availability of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through..."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through..."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through..."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

15. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

16. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.

17. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (C), (S), (CS), or (TS).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

18. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical content. The assignment of links, notes, and weights is optional.

Security Classification

Best Available Copy